




Driveshaft Length Indicators

The diagram shows six cross-sectional views of driveshafts, labeled from left to right: X-Short, Short, Medium, Long, X-Long, and XX-Long. Each view shows the internal splines and the position of the U-bolts. The U-bolts are marked with letters: 'a' for the top U-bolt and 'b' for the bottom U-bolt. The diagram illustrates how the length of the driveshaft affects the position of the U-bolts relative to the frame rails.




See Parts List for a complete listing of optional accessories.

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

REV 240125-R05


Rear Assembly



Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.




Link Dimensions



For standard hollow ball replacement, use part #5349.

Modular Assembly




See Parts List for a complete listing of optional accessories.

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

REV 240125-R05

TRX4[®]


Front Assembly



See Parts List for a complete listing of optional accessories.


Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

REV 240125-R05




Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

REV 240125-R05



Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.



Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

REV 240125-R05